


A



B






C



D



Fig. 4AFig. 4B



A

B



TEST - 6A

TEST - 6B



C

D



TEST - 6C

TEST - 6D






FIGURE 8




FIGURE 9




FIGURE 10

09945131.083101




FIGURE 11

A bar graph showing the percentage of PCNA protein expression in the MEDIA (white bars) and INTIMA (black bars) layers of the aorta at four time points: Day 3, Day 7, Day 14, and Day 28. The y-axis represents '% PCNA protein expression' from 0 to 25. The x-axis shows the groups: E+, BI, AS, and SCR for each day. Error bars are present for all data points. Statistical significance is indicated by asterisks (*, **).

Day	Group	Layer	% PCNA protein expression (approx.)	Significance
Day 3	E+	MEDIA	1.5	
		INTIMA	0	
	BI	MEDIA	8.0	**
		INTIMA	0	
AS	MEDIA	15.5	**	
	INTIMA	0		
SCR	MEDIA	13.5	*	
	INTIMA	0		
Day 7	BI	MEDIA	7.0	**
		INTIMA	10.0	
	AS	MEDIA	5.5	*
		INTIMA	15.0	
SCR	MEDIA	4.0		
	INTIMA	8.5		
Day 14	BI	MEDIA	1.0	
		INTIMA	0.5	
	AS	MEDIA	1.0	
		INTIMA	2.0	
SCR	MEDIA	2.5	**	
	INTIMA	1.5		
Day 28	BI	MEDIA	1.5	
		INTIMA	0.5	
	AS	MEDIA	0.5	
		INTIMA	2.0	
SCR	MEDIA	2.5		
	INTIMA	1.5		

FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15